

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:

Source:

Date Processed by STIC:

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,

2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.2 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- 3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 06/05/04): White Control of the Co

Revised 05/17/04

CORON DETECTED	SUGGESTED CORRECTION SERIAL NUMBER: USO 9/0/6/15 9C
ERROR DETECTED	The state of the s
ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE	
Wrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was reffieved in a word processor after creating it. Please adjust your right margin to 3; this will prevent "wrapping."
2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.
3Misaligned Amino Numbering	The numbering under each 5th amino acid is misaligned. Do not use tab codes between numbers: use space characters, instead.
4Non-ASCII	The submitted file was not saved in ASCII(DOS) sext, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.
5Variable Length	Sequence(s)contain n's or X22's representing more than one residue. Per Sequence Rules, each n or X22 can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing
6Patentin 2.0 - "bug"	A "bug" in Patentln version 2.0 has caused the <220>-<223> section to be missing from animo acid sequences(s) Normally, Patentln would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.
7 Skipped Sequences (OLD RULES)	Sequence(s) missing if intentional, please insert the following lines for each skipped sequence (2) INFORMATION FOR SEQ ID NO X (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS (Do not insert any subheadings under this heading) (xi) SEQUENCE DESCRIPTION SEQ ID NO X (insert SEQ ID NO where "X" is shown) This sequence is intentionally skipped Please also adjust the "(ii) NUMBER OF SEQUENCES "response to include the skipped sequences."
8 Skipped Sequences (NEW RULES)	Sequence(s) mussing If intentional, please insert the following lines for each skipped sequence <210> sequence id number <400> sequence id number <000
9 Use of as or Xaa's (NEW RULES)	Use of n's and/or Xaa's have been detected in the Sequence Listing Per 1 823 of Sequence Rules, use of <220> <223> is MANDATORY if n's or Xaa's are present In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents
10 Vinvalid <213> Response	Per 1 823 of Sequence Rules, the only valid <213> responses are Unknown Artificial Sequence or scientific name (Genus/species) <220> <223> section is required when <213> response is Unknown or is Artificial Sequence
11Usc of <220> L	Sequence(s)
Patentin 2.0 "bug"	Please do not use "Copy to Disk" function of Patentln version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.
1) Misuse of n/X22	"n" can only represent a single nucleotide: "Xaa" can only represent a single amino acid

AMC - Biotechnology Systems Branch - 09/09/2003



IFW16

RAW SEQUENCE LISTING

DATE: 12/06/2004

PATENT APPLICATION: US/09/016,159C

TIME: 16:04:30

Input Set : A:\completeseq.txt

Output Set: N:\CRF4\12062004\I016159C.raw

3 <110> APPLICANT: Lee, Jong Y. 5 <120> TITLE OF INVENTION: PURIFIED HUMAN ERYTHROPOIETIN RECEPTOR PROTEIN FRAGMENT AND ANTIBODIES DERIVED THEREFROM 8 <130> FILE REFERENCE: 106.001US2 10 <140> CURRENT APPLICATION NUMBER: US 09/016,159C 11 <141> CURRENT FILING DATE: 1998-01-30 13 <150> PRIOR APPLICATION NUMBER: US 08/876,227 Does Not Comply 14 <151> PRIOR FILING DATE: 1997-06-16 16 <160> NUMBER OF SEQ ID NOS: 7 Corrected Diskette Needed 18 <170> SOFTWARE: PatentIn version 3.2 20 <210> SEQ ID NO: 1 21 <211> LENGTH: 23 22 <212> TYPE: DNA 23 <213> ORGANISM: Synthetic 25 <400> SEQUENCE: 26 ttggatccgc gccccgcct aac 29 <210> SEQ ID NO: 2 30 <211> LENGTH: 22 31 <212> TYPE: DNA 32 <213> ORGANISM: Synthetic 34 <400> SEQUENCE: 35 tgaattcggg gtccaggtcg ct 38 <210> SEQ ID NO: 3 39 <211> LENGTH: 18 40 <212> TYPE: DNA 41 <213> ORGANISM: Homo sapiens 43 <300> PUBLICATION INFORMATION: 44 <301> AUTHORs: Smith, D.B. et al. 45 <302> TITLE: Single-step purification of polypeptides expressed in Escherichia coli as fusions with glutathione-S-transferase 47 <303> JOURNAL: Gene 48 <304> VOLUME: 67 49 <306> PAGES: 31-40 50 <307> DATE: 1998 52 <300> PUBLICATION INFORMATION: 53 <301> AUTHORs: Smith, D.B. et al. 54 <302> TITLE: Single-step purification of polypeptides expressed in Escherichia coli as fusions with glutathione-S-transferase 56 <303> JOURNAL: Genes and Development 57 <304> VOLUME: 67 58 <306> PAGES: 31-40 59 <307> DATE: 1998

61 <400> SEQUENCE: 3

RAW SEQUENCE LISTING DATE: 12/06/2004
PATENT APPLICATION: US/09/016,159C TIME: 16:04:31

Input Set : A:\completeseq.txt

```
18
62 ctggttccgc gtggatcc
65 <210> SEQ ID NO: 4
66 <211> LENGTH: 1527
67 <212> TYPE: DNA
68 <213 > ORGANISM: Homo sapiens
70 <300> PUBLICATION INFORMATION:
71 <301> AUTHORs: Jones, S.S. et al.
72 <302> TITLE: Human Erythropoietin Receptor: Cloning, expression, and
         biological characterization
74 <303> JOURNAL: Blood
75 <304> VOLUME: 76
76 <305> ISSUE: 1
77 <306> PAGES: 31-35
78 <307> DATE: 1990-07-01
80 <400> SEQUENCE: 4
81 atggaccacc tcggggcgtc cctctggccc caggtcggct ccctttgtct cctgctcgct
                                                                          60
8,3 ggggccgcct gggcgccccc gcctaacctc ccggacccca agttcgagag caaagcggcc
                                                                         120
85 ttgctggcgg cccgggggcc cgaagagctt ctgtgcttca ccgagcggtt ggaggacttg
                                                                         180
87 gtgtgtttet gggaggaage ggegageget ggggtgggee egggeaacta eagettetee
                                                                         240
89 taccageteg aggatgagec atggaagetg tgtegeetge accaggetee caeggetegt
                                                                         300
91 ggtgeggtge gettetggtg ttegetgeet aeageegaea egtegagett egtgeeeeta
                                                                         360
93 gagttgcgcg tcacagcagc ctccggcgct ccgcgatatc accgtgtcat ccacatcaat
                                                                         420
95 gaagtagtge teetagaege eecegtgggg etggtggege ggttggetga egagagegge
                                                                         480
97 cacgtagtgt tgcgctggct cccgccgcct gagacaccca tgacgtctca catccgctac
                                                                         540
99 gaggtggacg teteggeegg caaeggegea gggagegtae agagggtgga gateetggag
                                                                         600
101 ggccgcaccg agtgtgtgct gagcaacctg cggggccgga cgcgctacac cttcgccgtc
                                                                          660
103 cgcgcgcgta tggctgagcc gagcttcggc ggcttctgga gcgcctggtc ggagcctgtg
                                                                          720
105 tegetgetga egectagega cetggacece etcatectga egetetecet catectegtg
                                                                          780
107 gtcatectgg tgetgetgae egtgetegeg etgeteteec acegeeggge tetgaageag
109 aagatetgge etggeateee gageeeagag agegagtttg aaggeetett caccacccac
                                                                          900
111 aagggtaact tecagetgtg getgtaecag aatgatgget geetgtggtg gageeeetge
                                                                          960
113 accecettea eggaggaece acetgettee etggaagtee teteagageg etgetggggg
                                                                         1020
115 acgatgcagg cagtggagcc ggggacagat gatgagggcc ccctgctgga gccagtgggc
                                                                         1080
117 agtgagcatg cccaggatac ctatctggtg ctggacaaat ggttgctgcc ccggaacccg
                                                                         1140
119 cccagtgagg acctcccagg gcctggtggc agtgtggaca tagtggccat ggatgaaggc
                                                                         1200
121 teagaageat ceteetgete atetgetttq geetegaage ceageecaga gggageetet
                                                                         1260
123 getgecaget ttgagtaeae tateetggae eecageteee agetettgeg tecatggaea
                                                                         1320
125 ctgtgccctg agetgccccc taccccaccc cacctaaagt acctgtacct tgtggtatct
                                                                         1380
127 gactetggca teteaactga etacagetea ggggaeteee agggageeea agggggetta
                                                                         1440
129 tecqatqqcc cetactecaa ceettatqaq aacaqeetta teccaqeeqe tgageetetg
                                                                         1500
131 cccccagct atgtggcttg ctcttag
                                                                         1527
134 <210> SEQ ID NO: 5
135 <211> LENGTH: 508
136 <212> TYPE: PRT
137 <213> ORGANISM: Homo sapiens
139 <300> PUBLICATION INFORMATION:
140 <301> AUTHORs: Jones, S.S. et al.
141 <302> TITLE: Human Erythropoietin Receptor: Cloning, expression, and
142
          biological characterization
```

DATE: 12/06/2004

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/016,159C TIME: 16:04:31

Input Set : A:\completeseq.txt

```
143 <303> JOURNAL: Blood
144 <304> VOLUME: 76
145 <305> ISSUE: 1
146 <306> PAGES: 31-35
147 <307> DATE: 1990-07-01
149 <400> SEQUENCE: 5
151 Met Asp His Leu Gly Ala Ser Leu Trp Pro Gln Val Gly Ser Leu Cys
155 Leu Leu Leu Ala Gly Ala Ala Trp Ala Pro Pro Pro Asn Leu Pro Asp
                20
                                    25
159 Pro Lys Phe Glu Ser Lys Ala Ala Leu Leu Ala Ala Arg Gly Pro Glu
163 Glu Leu Leu Cys Phe Thr Glu Arg Leu Glu Asp Leu Val Cys Phe Trp
167 Glu Glu Ala Ala Ser Ala Gly Val Gly Pro Gly Asn Tyr Ser Phe Ser
171 Tyr Gln Leu Glu Asp Glu Pro Trp Lys Leu Cys Arg Leu His Gln Ala
                                        90
175 Pro Thr Ala Arg Gly Ala Val Arg Phe Trp Cys Ser Leu Pro Thr Ala
                                    105
                100
179 Asp Thr Ser Ser Phe Val Pro Leu Glu Leu Arg Val Thr Ala Ala Ser
           115
                                120
183 Gly Ala Pro Arg Tyr His Arg Val Ile His Ile Asn Glu Val Val Leu
       130
                            135
187 Leu Asp Ala Pro Val Gly Leu Val Ala Arg Leu Ala Asp Glu Ser Gly
188 145
                        150
                                            155
191 His Val Val Leu Arg Trp Leu Pro Pro Pro Glu Thr Pro Met Thr Ser
                                        170
195 His Ile Arg Tyr Glu Val Asp Val Ser Ala Gly Asn Gly Ala Gly Ser
                                    185
196
                180
199 Val Gln Arq Val Glu Ile Leu Glu Gly Arg Thr Glu Cys Val Leu Ser
203 Asn Leu Arg Gly Arg Thr Arg Tyr Thr Phe Ala Val Arg Ala Arg Met
204
                            215
207 Ala Glu Pro Ser Phe Gly Gly Phe Trp Ser Ala Trp Ser Glu Pro Val
                        230
                                            235
211 Ser Leu Leu Thr Pro Ser Asp Leu Asp Pro Leu Ile Leu Thr Leu Ser
                    245
                                        250
215 Leu Ile Leu Val Val Ile Leu Val Leu Thr Val Leu Ala Leu Leu
               260
                                    265
219 Ser His Arg Arg Ala Leu Lys Gln Lys Ile Trp Pro Gly Ile Pro Ser
           275
                                280
223 Pro Glu Ser Glu Phe Glu Gly Leu Phe Thr Thr His Lys Gly Asn Phe
                            295
227 Gln Leu Trp Leu Tyr Gln Asn Asp Gly Cys Leu Trp Trp Ser Pro Cys
228 305
                        310
                                            315
231 Thr Pro Phe Thr Glu Asp Pro Pro Ala Ser Leu Glu Val Leu Ser Glu
235 Arg Cys Trp Gly Thr Met Gln Ala Val Glu Pro Gly Thr Asp Asp Glu
```

RAW SEQUENCE LISTING DATE: 12/06/2004 PATENT APPLICATION: US/09/016,159C TIME: 16:04:31

Input Set : A:\completeseq.txt

```
340
236
                                    345
239 Gly Pro Leu Leu Glu Pro Val Gly Ser Glu His Ala Gln Asp Thr Tyr
                                360
                                                     365
243 Leu Val Leu Asp Lys Trp Leu Leu Pro Arg Asn Pro Pro Ser Glu Asp
                            375
                                                 380
247 Leu Pro Gly Pro Gly Gly Ser Val Asp Ile Val Ala Met Asp Glu Gly
                        390
                                             395
248 385
251 Ser Glu Ala Ser Ser Cys Ser Ser Ala Leu Ala Ser Lys Pro Ser Pro
                    405
                                                             415
                                        410
255 Glu Gly Ala Ser Ala Ala Ser Phe Glu Tyr Thr Ile Leu Asp Pro Ser
256
259 Ser Gln Leu Leu Arg Pro Trp Thr Leu Cys Pro Glu Leu Pro Pro Thr
                                440
260
            435
263 Pro Pro His Leu Lys Tyr Leu Tyr Leu Val Val Ser Asp Ser Gly Ile
264
267 Ser Thr Asp Tyr Ser Ser Gly Asp Ser Gln Gly Ala Gln Gly Gly Leu
                                             475
268 465
                        470
271 Ser Asp Gly Pro Tyr Ser Asn Pro Tyr Glu Asn Ser Leu Ile Pro Ala
                                        490
                    485
275 Ala Glu Pro Leu Pro Pro Ser Tyr Val Ala Cys Ser
276
                500
279 <210> SEQ ID NO: 6
280 <211> LENGTH: 1527
281 <212> TYPE: DNA
282 <213> ORGANISM: Homo sapiens
284 <300> PUBLICATION INFORMATION:
285 <301> AUTHORs: Winkelman, J.C. et al.
286 <302> TITLE: The gene for the human erythropoietin receptor: analysis of the
          coding sequence and assignment to chromosome 19p
288 <303> JOURNAL: Blood
289 <304> VOLUME: 76
290 <305> ISSUE: 1
291 <306> PAGES: 24-30
292 <307> DATE: 1990-07-01
294 <400> SEQUENCE: 6
295 atggaccacc tcggggcgtc cctctggccc caggtcggct ccctttgtct cctgctcgct
                                                                           60
297 ggggccgcct gggcgccccc gcctaacctc ccggacccca agttcgagag caaagcggcc
                                                                           120
                                                                           180
299 ttgctggcgg cccgggggcc cgaagagctt ctgtgcttca ccgagcggtt ggaggacttg
301 gtgtgtttct gggaggaagc ggcgagcgct ggggtgggcc cgggcaacta cagcttctcc
                                                                           240
                                                                           300
303 taccageteg aggatgagee atggaagetg tgtegeetge accaggetee caeggetegt
                                                                           360
305 ggtcgggtgc gettctggtg ttcgctgcct acagccgaca cgtcgagctt cgtgccccta
                                                                           420
307 gagttgegeg teacageage eteeggeget eegegatate acegtgteat ceacateaat
                                                                           480
309 qaaqtagtgc teetagaege eecegtgggg etggtggege ggttggetga egagagegge
311 cacgtagtgt tgcgctggct cccgccgcct gagacaccca tgacgtctca catccgctac
                                                                           540
313 gaggtggacg teteggeegg caaceggeea gggagegtae agagggtgga gateetggag
                                                                           600
                                                                           660
315 ggccgcaccg agtgtgtgct gagcaacctg cggggccgga cgcgctacac cttcgccgtc
317 cgcgcgcgta tggctgagcc gagcttcggc ggcttctgga gcgcctggtc ggagcctgtg
                                                                           720
319 tegetgetgg agectagega cetggacece eteateetga egeteteeet cateetegtg
                                                                           780
321 gtcatcctgg tgctgctgac cgtgctcgcg ctgctctccc accgccgggc tctgaagcag
                                                                           840
```

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/016,159C
DATE: 12/06/2004
TIME: 16:04:31

Input Set : A:\completeseq.txt

```
323 aagatetgge etggeatece gageecagag agegagtttg aaggeetett caccacceae
                                                                          900
325 aagggtaact tocagetgtg getgtaecag aatgatgget geetgtggtg gageecetge
                                                                          960
327 accecettea eggaggaece acetgettee etggaagtee teteagageg etgetggggg
                                                                         1020
329 acqatqcaqq caqtqqaqcc ggggacaqat gatqaggcc ccctqctgga gccaqtgggc
                                                                         1080
                                                                         1140
331 aqtqaqcatg cecaggatac ctatctggtg ctggacaaat ggttgctgcc ceggaacecg
333 cccagtgagg acctcccagg gcctggtggc agtgtggaca tagtggccat ggatgaaggc
                                                                         1200
335 tcagaagcat cctcctgctc atctgctttg gcctcgaagc ccagcccaga gggagcctct
                                                                         1260
337 getgecaget ttgagtacae tateetggae eccagetece agetettgeg tecatggaea
                                                                         1320
339 ctgtgccctg agctgccccc taccccaccc cacctaaagt acctgtacct tgtggtatct
341 gactetggca teteaactga etaeagetea ggggaeteee agggageeea agggggetta
                                                                         1440
343 tecgatggge cetactecaa eeettatgag aacageetta teecageege tgageetetg
                                                                         1500
                                                                         1527
345 cccccagct atgtggcttg ctcttag
348 <210> SEQ ID NO: 7
349 <211> LENGTH: 508
350 <212> TYPE: PRT
351 <213> ORGANISM: Homo sapiens
353 <300> PUBLICATION INFORMATION:
354 <301> AUTHORs: Winkelmann, J.C. et al.
355 <302> TITLE: The Gene for the Human Erythropoietin Receptor: Analysis of the
          coding sequence and assignment to chromosome 19p
357 <303> JOURNAL: Blood
358 <304> VOLUME: 76
359 <305> ISSUE: 1
360 <306> PAGES: 24-30
361 <307> DATE: 1990-07-01
363 <400> SEQUENCE: 7
365 Met Asp His Leu Gly Ala Ser Leu Trp Pro Gln Val Gly Ser Leu Cys
369 Leu Leu Leu Ala Gly Ala Ala Trp Ala Pro Pro Pro Asn Leu Pro Asp
                                    25
                20
373 Pro Lys Phe Glu Ser Lys Ala Ala Leu Leu Ala Ala Arg Gly Pro Glu
377 Glu Leu Leu Cys Phe Thr Glu Arg Leu Glu Asp Leu Val Cys Phe Trp
                            55
381 Glu Glu Ala Ala Ser Ala Gly Val Gly Pro Gly Asn Tyr Ser Phe Ser
385 Tyr Gln Leu Glu Asp Glu Pro Trp Lys Leu Cys Arg Leu His Gln Ala
                                         90
389 Pro Thr Ala Arg Gly Arg Val Arg Phe Trp Cys Ser Leu Pro Thr Ala
                                     105
                                                         110
                100
393 Asp Thr Ser Ser Phe Val Pro Leu Glu Leu Arg Val Thr Ala Ala Ser
            115
                                120
                                                     125
397 Gly Ala Pro Arg Tyr His Arg Val Ile His Ile Asn Glu Val Val Leu
                            135
                                                 140
401 Leu Asp Ala Pro Val Gly Leu Val Ala Arg Leu Ala Asp Glu Ser Gly
                        150
                                             1.55
405 His Val Val Leu Arg Trp Leu Pro Pro Pro Glu Thr Pro Met Thr Ser
409 His Ile Arg Tyr Glu Val Asp Val Ser Ala Gly Asn Arg Pro Gly Ser
```

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/016,159C

DATE: 12/06/2004 TIME: 16:04:32

Input Set : A:\completeseq.txt